JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 32

AUTHOR INDEX

		No.	Page
	ALLEN, BILLY D., see UPSHAW, CHARLES F. (113)		
1.	AMOS, ARTURO J., Some Lower Carboniferous brachiopods from the Volcan formation, San Juan, Argentina	5	838
2.	ARMSTRONG, AUGUSTUS K., Meramecian (Mississippian) endothyrid fauna from the Arroyo Penasco formation, northern and central New Mexico	5	970
3.	AYERS, JOHN C., Treatise on marine ecology and paleoecology, Vol. 1 (review)	3	647
4.	BAIRD, DONALD, New records of Paleozoic diplopod Myriapoda	1	239
5.	BANDY, ORVILLE L., Dominant molluscan faunas of the San Pedro Basin, California	4	703
6.	BOUCOT, ARTHUR J., Age of the Bainbridge limestone	5	1029
7.	BOUCOT, ARTHUR J., *Kozlowskiellina*, new name for *Kozlowskiella* Boucot, 1957 (nomenclatural note)	5	1031
8.	BUTLER, E. ANN, and CHEETHAM, ALAN, A new Cretaceous cribrimorph bryozoan from Louisiana	6	1153
	CAMPBELL, LOIS J., see SUMMERSON, CHARLES H. (99)		
9.	CASTER, KENNETH E., Paleontology, (review)	3	648
10.	CHALONER, W. G., *Polysporia mirabilis* Newberry, a fossil lycopod cone	1	199
	CHEETHAM, ALAN, see BUTLER, E. ANN (8)		
11.	CLARK, DAVID L., *Anisoceras* and *Ancycloceras* from the Texas Cretaceous	6	1076
12.	COBBAN, W. A., Two new species of *Baculites* from the western interior region	4	660
13.	COLLINSON, CHARLES, An addition to the holotype of the Chester nautiloid *Endolobus clorensis*	2	370
14.	COLLINSON, CHARLES and SCOTT, ALAN J., A chitinous anaptychus from the Pennsylvanian of Illinois	2	369
15.	COOGAN, ALAN H., Russian fusulinid genera	2	304
16.	COOPER, G. ARTHUR, The science of paleontology	5	1010
17.	COPELAND, MURRAY J., Redescription of *Ctenobolbina* (Jones) 1891 from the Middle Ordovician of Ottawa, Canada	1	236
18.	CVANCARA, ALAN M., Invertebrate fossils from the Lower Carboniferous of New South Wales	5	846
	CVANCARA, ALAN M., see HOLLAND, F. D., JR. (41)		
19.	DECKER, CHARLES E., and GOLD, IRWIN B., Upper Cambrian graptolites from Virginia and Tennessee	3	401
20.	DECKER, CHARLES E., and HASSINGER, NEAL, What higher magnification is doing for the study of graptolites	4	697
	DODGE, H. W., see THOMPSON, M. L. (108)		
21.	DORR, JOHN A., JR., *Prouintatherium*, new uintathere genus, earliest Eocene, Hoback formation, Wyoming, and the phylogeny of Dinocerata	3	506
22.	DUNBAR, CARL O., On the validity of *Schwagerina* and *Pseudoschwagerina*	5	1019
	ECHOLS, DOROTHY JUNG, see WERNER, COURTNEY (119)		
	EHLERS, GEORGE M., see KESLING, ROBERT V. (44, 46)		
23.	EHLERS, GEORGE M., and KESLING, ROBERT V., *Timeischytes*, a new genus of hemicystitid edrioasteroid from the middle Devonian Four Mile Dam limestone of Michigan	5	933
24.	ELIAS, M. K., Late Mississippian fauna from the Redoak Hollow formation of southern Oklahoma, Part IV, Gastropoda, Scaphopoda, Cephalopoda, Ostracoda, Thoracica, and Problematica	1	1
25.	ELIAS, MAXIM K., *Fenestella ovatiporella*, new name for *F. ovatipora* Elias	3	641
26.	ELLIOTT, GRAHAM F., Classification of thecidean brachiopods	2	373
27.	ETHINGTON, R. L., FURNISH, W. M., and MARKEWICZ, F. J., Ordovician conodonts in New Jersey	4	763
	FAUSTMAN, WALTER, see FRANKEL, LARRY (31)		
28.	FISHER, D. W., *Polylopia* Clark, an Ordovician scaphopod	1	144
29.	FLOWER, ROUSSEAU H., Some Chazyan and Mohawkian Endoceratida	3	433
30.	FRANKEL, LARRY, Nebraska's loess deposits—grassland or woodland environment?	3	638

31.	FRANKEL, LARRY, and FAUSTMAN, WALTER, A new Pleistocene Molluscan fauna from Connecticut	3	639
32.	FREDERICKSON, E. A., Lower Tremadocian trilobite from Venezuela	3	541
	FURNISH, W. M., see MILLER, A. K. (65, 66, 67, 68, 69)		
	FURNISH, W. M., see ETHINGTON, R. L. (27)		
33.	GLENISTER, B. F., Upper Devonian Ammonoids from the *Manticoceras* zone, Fitzroy Basin, Western Australia	1	58
	GOLD, IRWIN B., see DECKER, CHARLES E. (19)		
34.	GREEN, MORTON, Arikareean rhinoceroses from South Dakota	3	587
	GREGGS, ROBERT A., see OKULITCH, VLADIMIR J. (75)		
35.	HAAS, OTTO, Recent literature on Mesozoic ammonites	3	624
36.	HAMPTON, JOHN S., Subgeneric status in taxonomic paleontology (nomenclatural note)	5	1031
37.	HASS, WILBERT, Upper Devonian conodonts of New York, Pennsylvania, and the interior states	4	765
	HASSINGER, NEAL, see DECKER, CHARLES E. (20)		
38.	HATTIN, DONALD E., Regeneration in a Pennsylvanian crinoid spine	4	701
	HATTIN, DONALD E., see PERRY, T. G. (82)		
	HEANY, FRANK, see KESLING, R. V. (47)		
39.	HENDRIX, W. E., Foraminiferal shell form, a key to sedimentary environment	4	649
40.	HESSLAND, IVAR, Some factors in the distribution of fossil cephalopods (review)	5	1035
41.	HOLLAND, F. D., JR., and CVANCARA, ALAN M., Crabs from the Cannonball formation (Paleocene) of North Dakota	3	495
42.	HOWELL, B. F., Type species for the nemertan worm genus *Legnodesmus*	1	247
43.	IMLAY, RALPH W., *Hertleinites*, new name for the Cretaceous ammonite, *Hertleinia*, preoccupied (nomenclatural note)	5	1032
	KAUFFMAN, E. G., see KESLING, R. V. (47)		
	KAUFFMAN, E. G., see STUMM, ERWIN C. (97)		
44.	KESLING, R. V., Treatise on marine ecology and paleoecology, Vol. 2 (review)	1	248
45.	KESLING, R. V., and EHLERS, G. M., *Dolichoscapha*, a new beyrichiid ostracod genus.	1	152
46.	KESLING, R. V., and EHLERS, GEORGE M., The edrioasteroid *Lepidodiscus squamosus* (Meek & Worthen)	5	923
47.	KESLING, R. V., HEANY, FRANK, KAUFFMAN, E. G., and ODEN, A. L., *Bolbineossia*, a new beyrichiid ostracod genus	1	147
48.	KESLING, R. V., and SOHN, I. G., The Paleozoic ostracod genus *Alanella* Boucek, 1936	3	517
	KESLING, R. V., see EHLERS, GEORGE M. (23)		
49.	KIER, PORTER M., Permian echinoids from west Texas	5	889
50.	KJELLESVIG-WAERING, ERIK N., Some previously unknown morphological structures of *Carcinosoma newlini* (Claypole)	2	295
51.	KJELLESVIG-WAERING, ERIK N., The genera, species and subspecies of the Family Eurypteridae, Burmeister, 1845	6	1107
52.	KLAPPER, GILBERT, An Upper Devonian conodont fauna from the Darby Formation of the Wind River Mountains, Wyoming	6	1082
53.	KOENIG, J. W., Fenestrate Bryozoa in the Chouteau group of central Missouri	1	126
54.	KOLOSVARY, G., Corals from the Upper Anisian of Hungary	3	636
55.	KORNICKER, LOUIS S., Eighth issue of the Publications of the Institute of Marine Science	4	770
56.	LADD, H. S., Fossil land shells from western Pacific atolls	1	183
57.	LAUBENFELS, M. W. DE, Nomenclature of Porifera, especially concerning the so-called "glass sponges" or Hyalosponges	3	611
	LEITH, E. I., see SINCLAIR, G. W. (91)		
58.	LEUTZE, WILLARD P., Eurypterids from the Silurian Tymochtee dolomite of Ohio	5	937
59.	LEVINSON, STUART A., Journal of Paleontological Society of India (Review)	2	384
60.	LINTZ, JOSEPH, JR., The fauna of the Ames and Brush Creek shales of the Conemaugh formation of western Maryland	1	97
61.	LINTZ, JOSEPH, JR., and LOHR, LEWIS S., Two new invertebrates from the Mississippian of Nevada	5	977
62.	LOCHMAN, CHRISTINA, *Sulcocephalus* Wilson 1948 to replace *Berkeia* Resser, 1937, and *Burnetiella* to replace *Burnetia* Walcott, 1924	1	247
63.	LOCHMAN-BALK, CHRISTINA, and WILSON, JAMES LEES, Cambrian biostratigraphy in North America	2	312
	LOHR, LEWIS S., see LINTZ, JOSEPH, JR. (61)		
	MARKEWICZ, F. J., see ETHINGTON, R. L. (27)		
64.	MATSUMOTO, TATSURO, and MILLER, HALSEY W., JR., Cretaceous ammonites from the spillway excavation of Cedar Bluff Dam, Trego County, Kansas	2	351

65. MILLER, A. K., and FURNISH, W. M., Middle Pennsylvanian Schistoceratidae (Ammonoidea) ... 2 253
66. MILLER, A. K., and FURNISH, W. M., Goniatites of the Burlington limestone in Missouri ... 2 269
67. MILLER, A. K., and FURNISH, W. M., Manuscript copy for the Journal of Paleontology ... 2 374
68. MILLER, A. K., and FURNISH, W. M., Permian ammonoids from the Colorado Plateau ... 4 682
69. MILLER, A. K., and FURNISH, W. M., The goniatite genus *Anthracoceras* ... 4 684
70. MILLER, HALSEY W., A new genus and species of Permian ophuiroid from Kansas. ... 2 357
MILLER, HALSEY W., JR., see MATSUMOTO, TATSURO (64)
71. MITRA, KARUN C., Variation in *Goniorhynchia boueti* from Normandy and Dorset ... 5 992
72. MORKHOVEN, F. P. C. M. VAN, On the validity of the ostracod genera *Glyptobairdia* and *Bairdoppilata* ... 2 366
73. MYERS, DONALD A., Stratigraphic distribution of some fusulinids from the Thrifty formation, Upper Pennsylvanian, Central Texas ... 4 677
74. NOREM, W. L., Keys for the classification of fossil spores and pollen ... 4 666
ODEN, A. L., see KESLING, R. V. (47)
75. OKULITCH, VLADIMIR J., and GREGGS, ROBERT G., Archaeocyathid localities in Washington, British Columbia, and the Yukon Territory ... 3 617
76. OLIVER, WILLIAM A., JR., Significance of external form in some Onandagan rugose corals ... 5 815
77. OLSEN, STANLEY J., Some problematical carnivores from the Florida Miocene ... 3 595
78. PALMER, A. R., Morphology and ontogeny of a Lower Cambrian ptychoparoid trilobite from Nevada ... 1 154
PALMER, ERNEST J., see UNKLESBAY, A. G. (112)
79. PALMER, K. V. W., Viviparous *Turritella pilsbryi* Gardner ... 1 210
80. PAULSON, OSCAR L., JR., A new species of the Eocine echinoid *Periarchus* ... 2 362
81. PEABODY, FRANK E., An embolomerous amphibian in the Garnett fauna (Pennsylvanian) of Kansas ... 3 571
82. PERRY, T. G., and HATTIN, DONALD E., Astogenetic study of fistuliporoid bryozoans. ... 6 1039
83. PURI, HARBANS S., Eocene and Oligocene Ostracoda of Belgium, (review) ... 2 383
84. QUINN, JAMES HARRISON, New Pleisotocene *Asinus* from southwestern Arizona ... 3 603
85. REXROAD, CARL B., The conodont homeomorphs *Taphrognathus* and *Streptognathodus* ... 6 1158
86. RICE, N. E., Occurrence of glass sponges in the Devonian of West Virginia ... 1 244
87. RIGBY, J. KEITH, Two new Upper Paleozoic hydrozoans ... 3 583
88. RIGBY, J. KEITH, Lower Ordovician graptolite faunas of western Utah ... 5 907
89. RIGBY, J. KEITH, Frequency curves and death relationships among fossils ... 5 1007
90. ROSS, REUBEN J., Trilobites in a pillow-lava of the Ordovician Valmy formation, Nevada ... 3 559
SCOTT, ALAN J., see COLLINSON, CHARLES (14)
91. SINCLAIR, G. W., and LEITH, E. I., New name for an Ordovician shale in Manitoba ... 1 243
92. SKOLNICK, HERBERT, Lower Cretaceous Foraminifera of the Black Hills area ... 2 275
93. SLOSS, L. L., Paleontologic and lithologic associations ... 4 715
94. SOHN, I. G., Chemical constituents of ostracodes; some applications to paleontology and paleoecology ... 4 730
SOHN, I. G., see KESLING, ROBERT V. (48)
95. STANLEY, EDWARD A., Some Mississippian conodonts from the High Resistivity shale of the Nancy Watson No. 1 well in northeastern Mississippi ... 3 459
96. STEWART, WENDELL J., Some fusulinids from the upper Strawn, Pennsylvanian of Texas ... 6 1051
97. STUMM, ERWIN C., and KAUFFMAN, ERLE G., Calymenid trilobites from the Ordovician rocks of Michigan ... 5 943
98. SUMMERSON, C. H., Arenaceous foraminifera from the Middle Devonian limestones of Ohio ... 3 544
99. SUMMERSON, CHARLES H., and CAMPBELL, LOIS J., Holothurian sclerites from the Kendrick shale of eastern Kentucky ... 5 961
100. SYLVESTER-BRADLEY, P. C., The description of fossil populations ... 1 214
101. TASCH, PAUL, Permian conchostracan-bearing beds of Kansas. Part I. Jester Creek section—fauna and paleoecology ... 3 525
102. TASCH, PAUL, Note on *Bileaia* Kobayashi, 1954 *nomen nudum* ... 3 637
103. TASCH, PAUL, The internal structure of *Diplograptus peosta* Hall ... 5 1021
104. TASCH, PAUL, Novojilov's classification of fossil conchostracans—a critical evaluation. Part I. Family Leaiidae ... 6 1094
105. TAYLOR, DWIGHT W., Geologic range and relationships of the freshwater snail *Anisus pattersoni* ... 6 1149

106. THALMANN, HANS E., Bibliography and index to new genera, species, and varieties of Foraminifera for the year 1955 ..... 4 737
107. THOMPSON, M. L., Manuscript style 2 373
108. THOMPSON, M. L., DODGE, H. W., and YOUNGQUIST, WALTER, Fusulinids from the Sublett Range, Idaho 1 113
TODD, ROBERT G., see UPSHAW, CHARLES F. (113)
109. TRIPP, RONALD PEARSON, Stratigraphic and geographical distribution of the named species of the trilobite superfamily Lichacea 3 574
110. TRUMBULL, ELLEN JAMES, Shumard's type specimens of Tertiary mollusks from Oregon and other types formerly at Washington University, St. Louis 5 893
111. TURNBULL, W. D., The type of *Phlegethontia linearis* Cope 1 245
112. UNKLESBAY, A. G., and PALMER, ERNEST J., Cephalopods from the Burgner Formation in Missouri 6 1071
113. UPSHAW, CHARLES F., TODD, ROBERT G., and ALLEN, BILLY D., Fluoridization of microfossils: Addenda 2 372
114. VALENTINE, JAMES W., Late Pleistocene megafauna of Cayucos, California, and its zoogeographic significance 4 687
115. VAUGHN, PETER PAUL, On the geologic range of the labyrenthodont amphibian *Eryops* 5 918
116. VAUGHN, PETER PAUL, On a new pelecosaur from the lower Permian of Oklahoma, and on the origin of the family Caseidae 5 981
117. VON DER OSTEN, ERIMAR, *Astrocoenia barranquiniana*, a new name for *Astrocoenia minima* von der Osten 1 247
118. WELLS, J. W., Note on two forgotten species of Paleozoic tabulate corals from New York 1 242
119. WERNER, COURTNEY, and ECHOLS, DOROTHY JUNG, Three dimensional graptolites in the Maquoketa shale (Upper Ordovician) of Missouri 5 1026
120. WHITE, THEODORE E., The braincase of *Camarasaurus lentus* (Marsh) 3 477
WILSON, JAMES LEES, see LOCHMAN-BALK, CHRISTINA (63)
121. WOODLAND, ROLAND BERT, Stratigraphic significance of Mississippian endothyrid Foraminifera in central Utah 5 791
122. YOUNG, KEITH, *Graysonites* a Cretaceous ammonite in Texas 1 171
123. YOUNG, KEITH, Cenomanian (Cretaceous) ammonites from Trans-Pecos, Texas ... 2 286
YOUNGQUIST, WALTER, see THOMPSOH, M. L. (108)

SUBJECT INDEX

Absonodaphoenus: new genus, Miocene carnivores (77)
Alanella: Devonian ostracode (48)
Ammonites: Cretaceous, Kansas (64); Cretaceous, Texas (11, 123)
Ammonoids: Devonian, Western Australia (33)
Amphibians: Pennsylvanian, Kansas (81); range of *Eryops* (115)
Anaptychus: Pennsylvanian, Illinois (14)
Anisoceras: Cretaceous, Texas (11)
Ancyloceras: Cretaceous, Texas (11)
Anisus pattersoni: snail, Cenozoic (105)
Anthracoceras: Carboniferous, Upper Silesia (69)
Archaeocyathids: Cambrian, Washington, British Columbia and Yukon Territory (75)
Argentina: Carboniferous brachiopods (1)
Arizona: Permian cephalopods (68); Pleistocene horse (84)
Astrocoenia: Cretaceous, Venezuela (117)
Association of fossils and rock types (93)
Australia: Devonian ammonoids (33)
Baculites eliasi: new species, cephalopod (12)
Baculites scotti: new species, cephalopod (12)
Bainbridge limestone, age of (6)
Bairdoppilata: recent ostracode (72)
Bileaia, nomen nudum, conchostracan (102)
Biometrical analysis (100)
Bolbineossia: new genus, ostracode (47)

Brachiopods: Carboniferous, Argentina (1); Lower Carboniferous, New South Wales (18); new suborder Thecideoidea (26); specific variation (71)
Bryozoa: astogeny of fistuliporoids (82); Cretaceous, Louisiana (8); Mississippian, Missouri (53); Silurian, Tennessee, Kansas (82)
Burnetiella replaces *Burnetia* (62)

California: living molluscan faunas (5); Pleistocene invertebrate megafauna (114); Tertiary foraminifera (39)
Camarasaurus: Jurassic dinosaur, Wyoming (120)
Camarocarcinus, new genus, Paleocene crabs (41)
Cambrian: archaeocyathids, Washington, British Columbia and Yukon Territory (75); biostratigraphy (63); graptolites, Virginia and Tennessee (19); trilobite, Nevada (78)
Cambro-Ordovician trilobite facies (63)
Canada: Ordovician ostracode (17)
Carboniferous: brachiopods, Argentina (1); cephalopod, Upper Silesia (69); lycopod cone (10)
Carcinosoma: Silurian eurypterid, Indiana (50)
Carnivores: Florida Miocene (77)
Cenozoic: freshwater snail, Central and Western United States (105)
Cephalopoda: Cretaceous ammonites, Kansas (64); Cretaceous, Texas (123); Mississippian, Missouri (66); Mississippian, Oklahoma (24); Ordovician nautiloids (29); Pennsylvanian ammonoids (65, 112)
Chazyoceras: new genus, Ordovician cephalopod (29)
Chemical constituents: living ostracodes (94)
Clarkeolepis, new genus, Thoracica (24)
Colobomycter: new genus, Permian pelycosaur, Oklahoma (116)
Colorado: Late Cretaceous cephalopod (12)
Conchostracans: Permian, Kansas (101); classification (104)
Conodonts: Devonian, New York, Pennsylvania, and interior states (37); Wyoming (52); homeomorphs, *Taphrognathus* and *Streptognathodus* (85); Mississippian, Mississippi (95); Ordovician, New Jersey (27)
Corals: Cretaceous Venezuela (117); external form (76); Triassic, Hungary (54)
Crabs: Paleocene, North Dakota (41)
Crassifimbra walcotti: trilobite, Cambrian Nevada (78)
Cretaceous: ammonites, Kansas (64); bryozoan, Louisiana (8); Foraminifera, Wyoming, South Dakota (92); Texas ammonite (11, 122, 123)
Crinoid: Pennsylvanian, regeneration (38)
Ctenobolbina clavigera: ostracode, Ordovician, Canada (17)

Death relationships among fossils (89)
Delocrinus wolforum: regeneration of spine (38)
Devonian: ammonoids, Western Australia (33); conodonts, New York, Pennsylvania, and interior states (37); Wyoming (52); coral, New York (118); edrioasteroid, Michigan (23); glass sponges, Virginia (86); Ohio Foraminifera (98); ostracode, New York (46); rugose corals (76)
Dimeqalasma eurekensis: new species, brachiopod, Mississippian, Nevada (61)
Dinosaur: Jurassic, Wyoming (120)
Diplograptus peosta: internal structure, Ordovician graptolite (103)
Dolichoscapha: new genus, ostracode (45)

Edrioasteroid: Devonian, Michigan (23); *Lepidodiscus squamosus* (46)
Elkoceras volborth: new genus and species, nautiloid, Mississippian, Nevada (61)
Eocene and Oligocene Ostracoda of Belgium (83)
Eocene: Echinoid, North Carolina (80); uintathere, Wyoming (22)
Emmonsoceras: new genus, Ordovician cephalopod (29)
Endolobus: Mississippian nautiloid, Illinois (13)
Endothyra: Mississippian, New Mexico (2)
Endothyrids: Mississippian, Utah (121)
Environment: living molluscan faunas, California (5)
Erieopterus: new genus, eurypterid (51)
Erieopterus hypsophthalmus: new species, eurypterid (51)
Eryops: range of (115)
Eurypteridae: synopsis, review, classification (51)
Eurypterus remipes laculatus: new subspecies, eurypterid (51)
Eurypterus remipes quebecensis: new subspecies, eurypterid (51)
Eurypterus remipes swartzi: new subspecies, eurypterid (51)
Eurypterids: Silurian, Indiana (50); Silurian, Ohio (58)

Fairliella, new genus, arenaceous foraminifer (98)
Fenestella: Mississippian bryozoans (53)
Fenestella ovatiporella: new name, Pennsylvania, Missouri (25)

Flexicalymene: Ordovician, Michigan (97)
Florida: Miocene carnivores (77)
Fluoridization of microfossils (113)
Foerstephyllum striatulum: Middle Ordovician coral (118)
Foraminifera: arenaceous, Cretaceous, Wyoming and South Dakota (92); bibliography of new genera, species and varieties for 1955 (106); Devonian, Ohio (98); Mississippian, Utah (121); shell form (39)
Fossil populations (100)
Fossil spores and pollen: classification (74)
Frequency curves and death relationships among fossils (89)
Freshwater snail: Cenozoic, Central and Western United States (105)
Frumentela exempla: new genus, new species, fusulinid (96)
Fusiella texana: new species, fusulinid (96)
Fusulina beltatula: new species, fusulinid (96)
Fusulina brazoensis: new species, fusulinid (96)
Fusulina cappsensis: new species, fusulinid (96)
Fusulina gordonensis: new species, fusulinid (96)
Fusulina valida: new species, fusulinid (96)
Fusulina vintonensis: new species, fusulinid (96)
Fusulina whitakeri: new species, fusulinid (96)
Fusulinid genera, Russian (15)
Fusulinids: on validity of *Schwagerina* and *Pseudoschwagerina* (22); Pennsylvanian-Permian, Idaho (108); Pennsylvanian, Texas (73, 96)

Gastropoda: Miocene, Virginia (79); Mississippian, Oklahoma (24); Pleistocene, California (114)
Glass sponges: Devonian, Virignia (86)
Glyptobairdia: recent ostracode (72)
Goniorhynchia boueti, specific variation (71)
Gordonites: new genus, cephalopod (69)
Granuliferella: Mississippian, New Mexico (2)
Graptolites: Cambrian, Virginia and Tennessee (19); Lower Ordovician, Utah (88); Ordovician (103); Ordovician, Missouri (119); reproductive structures (20)
Graysonites: Cretaceous ammonite (112)

Hertleinites: new name, Cretaceous ammonite (43)
Hesperoherpeton: new genus, amphibian, Pennsylvanian, Kansas (81)
Holothurian sclerites: Pennsylvanian, Kentucky (99)
Horse: Pleistocene, Arizona (84)
Hungary: Triassic, corals (54)
Hydrozoans: Paleozoic western United States (87)

Idaho: Pennsylvanian-Permian fusulinids (108)
Icriodus darbyensis: new species, conodont (52)
Icriodus mehli: new species, conodont (52)
Illinois: Mississippian cephalopod (13); Pennsylvanian anaptychus (14)
Indiana: Silurian eurypterid (50)
Institute of Marine Science (55)

Jurassic: dinosaur, Wyoming (120)

Kaibab Formation: Permian cephalopod, Arizona (68)
Kansas: Cretaceous ammonites (64); Pennsylvanian amphibian (81); Permian conchostracans (101); Permian ophiuroid (70)
Kentucky: Pennsylvanian holothurian sclerites (99)
Kozlowskiellina, new name (7)

Land snails: Quaternary and Miocene, western Pacific atolls (56)
Late Cretaceous: Pierre shale, cephalopod (12)
Leaiidae: classification (104)
Legnodesmus, worm genus (42)
Lepidodiscus squamosus (Meek & Worthen), edrioasteroid (46)
Lithocongruency (93)
Lithologic and paleontologic associations (93)
Loess deposits: Nebraska (30)
Louisiana: bryozoan, Cretaceous (8)
Lower Carboniferous brachiopods (18)
Lower Ordovician: graptolites, Utah (88)
Lower Tremadocian: trilobite, Venezuela (32)

Manitoba: Ordovician Gunn member, Stony Mountain formation (91)
Manuscript copy style (67)

Manuscript style (107)
Mesobeloceras: new genus, Devonian ammonoid (33)
Mesozoic ammonite literature (35)
Michigan: Devonian edrioasteroid (23); new Silurian ostracode genus (47); Ordovician trilobites (97); Silurian, ostracodes (45)
Miocene: carnivores, Florida (77); gastropod, Virginia (79); sedimentary environment (39); snails, western Pacific atolls (56); South Dakota rhinoceroses (34)
Mississippi: Mississippian conodonts (95)
Mississippian: brachiopod, Nevada (61); Bryozoa, Missouri (53); cephalopod, Illinois (13); cephalopod, Nevada (61); cephalopods, Missouri (66); conodonts, Mississippi (95); endothyrids, New Mexico (2); southern Oklahoma (24); Foraminifera, Utah (121)
Missouri: Mississippian Bryozoa (53); Mississippian cephalopods (66); Ordovician graptolites (119); Pennsylvanian cephalopods (112)
Molluscan faunas: living, California (5); Pleistocene, Connecticut (31)
Mollusks: Pleistocene, California (114)
Montana: Late Cretaceous cephalopod (12)
Morphologic classification: spores and pollen (74)
Myriapoda: Paleozoic millipedes (4)
Nevada: Cambrian trilobite (78); Mississippian brachiopod and nautiloid (61); Ordovician trilobites (90)
New Jersey: Ordovician conodonts (27)
New Mexico: Mississippian endothyrids (2)
New South Wales: Lower Carboniferous brachiopods (18)
New York: Devonian conodonts (37); Devonian, Ordovician corals (118); Devonian ostracode (48)
North Carolina: Eocene echinoid (80)
North Dakota: Paleocene crabs (41)
Ohio: Devonian Foraminifera (98); Silurian eurypterids (58)
Oistodus: Ordovician conodont (27)
Oklahoma: Mississippian, Gastropoda, Scaphopoda, Cephalopoda, Ostracoda, Thoracica, Problematica (24); Permian pelycosaur (116)
Ophiuraster burrisi: new genus, Permian ophuiroid (70)
Ophiuroid: Permian, Kansas (70)
Ordovician: biostratigraphy (63); conodonts, New Jersey (27); coral, New York (118); graptolite (103); Gunn member, Stony Mountain formation, Manitoba (91); Missouri graptolites (119); nautiloids (29); ostracode, Canada (17); scaphopod, Tennessee (28); trilobites, Michigan (97); trilobites, Nevada (90); trilobite, Venezuela (32)
Ostracoda: chemical constituents (94); Devonian, New York (48); Mississippian, Oklahoma (24); Ordovician, Canada (17); Silurian, Michigan (45, 47)
Paleontology, review of (9)
Paleocene: crabs, North Dakota (41)
Paleontological Society of India (59)
Papillicalymene: Ordovician, Michigan (97)
Paramillerella dogbendensis: new species, fusulinid (96)
Pelecypoda: Pleistocene, California (114)
Pennsylvania: Devonian conodonts (37); Pennsylvanian fauna, Maryland (60)
Pennsylvanian: amphibian, Kansas (81); cephalopods (65, 112); fauna from Conemaugh, Pennsylvania (60); fusulinids, Idaho (108); Texas (95); holothurian sclerites, Kentucky (99); Illinois anaptychus (14); Nova Scotia, millipedes (4); Ohio millipedes (4); Ohio vertebrate (111); regeneration in crinoid spine (38); Texas fusulinids (73)
Periarchus: Eocene echinoid, North Carolina (80)
Permian: cephalopod, Arizona (68); conchostracans, Kansas (101); echinoid, West Texas (49); fusulinids, Idaho (108); ophiuroid, Kansas (70); pelycosaur, Oklahoma (116); Texas millipedes (4)
Phlegethontia linearis: vertebrate, Pennsylvanian, Ohio (111)
Phragmodus: Ordovician conodont (27)
Plectofusulina franklinensis: new genus, new species, fusulinid (96)
Pleistocene: horse, Arizona (84); invertebrate megafauna, California (114)
Pliocene: sedimentary environment (39)
Polygnathus wyomingensis: new species, conodont (52)
Polylopia: Ordovician scaphopod (28)
Polysporia: lycopod cone, Carboniferous (10)
Porifera: nomenclature of "glass sponges" (57)
Presidential address (16)
Prouintatherium: new genus, Eocene uintathere (21)
Pseudogastrioceras mckeei: new species, cephalopod (68)
Pseudoschwagerina: validity of (22)

Quaternary: snails, Western Pacific atolls (56)
Recent ostracoda (72)
Rhinoceroses: Miocene, South Dakota (34)
Rhiniopora spooneri: new species, bryozoan (8)
Russian fusulinid genera (15)
Scaphopod: Ordovician, Tennessee (28)
Schistoceratidae: Pennsylvanian cephalopods (65)
Schwagerina: validity of (22)
Science of paleontology: Presidential address (16)
Silurian: Bainbridge limestone (6); bryozoa, Tennessee, Kansas (82); eurypterids, Ohio (58); Indiana eurypterid (50); ostracode, Michigan (47); ostracodes, Michigan (45)
South Dakota: Cretaceous foraminifera (92); Late Cretaceous cephalopod (12); Miocene rhinoceroses (34)
Spectrographic analyses: ostracodes (94)
Subgeneric status in taxonomic paleontology (36)
Sulcocephalus replaces *Berkeia* (62)
Temnocheilus seawrighti: new species, nautiloid (112)
Tennessee: Cambrian graptolites (19)
Tennessee: Ordovician scaphopod (28)
Tertiary mollusks: Shumard's types from Oregon (110)
Texas: Cretaceous ammonites (11, 122, 123); Pennsylvanian fusulinids (73, 96)
Thecideoidea: new suborder, brachiopods (26)
Thrifty formation: fusulinids (73)
Timeischytes: new genus, Devonian edrioasteroid (23)
Trachypora vermiculosa: Middle Devonian coral (118)
Treatise on marine ecology and paleoecology (3)
Triassic: corals, Hungary (54)
Triendoceras: new genus, Ordovician cephalopod (29)
Trilobite: Cambrian, Nevada (78); facies (63); Ordovician, Venezuela (32); distribution of super family Lichacea (109); synonyms (62); Ordovician, Nevada (90)
Triticites: Pennsylvanian, fusulinid, Texas (73)
Turritella pilsbryi: gastropod, Miocene (79)
Typological analysis (100)
Uintathere: Eocene, Wyoming (21)
Utah: Lower Ordovician graptolites (88); Mississippian Foraminifera (121)
Vaningenoceras: new genus, Ordovician cephalopod (29)
Venezuela: Cretaceous coral (117); Ordovician trilobite (32)
Virginia: Cambrian graptolites (19); Devonian, glass sponges (86)
Viviparous gastropod (79)
Washington University: Type specimens formerly at Washington University (110)
Weikkoella, new genus, arenaceous Foraminifera (98)
West Texas: Permian echinoid (49)
Western Pacific atolls: snails, Quaternary, Miocene (56)
Western United States: hydrozoans (87)
Wyoming: conodonts, Devonian (52); Cretaceous Foraminifera (92); Eocene uintathere (21); Jurassic dinosaur (120); Late Cretaceous cephalopod (12)
Xenechinus: new genus, Permian echinoid (49)